






MILE 02




type:	suspension
materials:	body: powder coated aluminum lens: frosted polycarbonate hardware: powder coated aluminum wire: polyester
wire length:	108" live wire feed 84" unloaded wire
weight:	3.9 lb / 1.8 kg
light source:	47W (see light source section for specifications)
voltage:	120V / 240V
dimmer:	refer to our recommended list of dimmer models
certifications:	
notes:	<ul style="list-style-type: none"> – must be installed by an electrician – additional charges for modifications or for special orders – dimensions are approximate and may vary slightly – lead time 12 weeks




ORDER GUIDE: SKU


COLLECTION		MODEL	COLOUR (frame/wire/anchor)		COLOUR (canopy)	MOUNTING TYPE		
Mile	mile	02	BL	black	WH	white	SM	single mounting
			BU	burgundy			RM	row mounting (please consult sales team)
			BG	beige				
			GN	green				
MIL		02	BL		WH		SM	= MIL02BLWHSM example




COLOUR
(frame, wires and achors)




COLOUR
(canopy)



MOUNTING TYPE




Single mounting




Row mounting available
(max 600W)

ANCHORS




Regular anchor



Connecting anchor
for row mounting

LIGHT SOURCE & DIMMER SPECIFICATIONS

AC LED BOARD



47 W
100V-120V / 240V
uplight 1040 lumens
downlight 1430 lumens
LED 2700K
50 000 H
CRI ≥90
2 years warranty
3 SDCM consistency
Replacement parts available through Lambert & Fils

DIMMER LIST COMPATIBILITY – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	10%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	10%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	10%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	10%	no	very good
LUTRON - DIVA	DVELV-300P	100%	10%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.