





WALDORF SUSPENSION DOUBLE



type	suspension					
materials	shade :	powder coated steel & aluminium				
	body :	powder coated aluminium				
	sphere :	milk glass (G60)				
	hardware :	brass				
	canopy :	powder coated steel				
total height	24"	28"	32"	36"	42"	54"
	610 mm	711 mm	813 mm	914 mm	1067 mm	1372 mm
weight	min. 3.5 lb / 1.6 kg - max. 3.7 lb / 1.7 kg					
light bulb	LED (included), 2x 4.5W					
sockets	G9					
voltage	120V / 240V					
dimmer	refer to our recommended list of dimmer models					
certifications	  					
notes	<ul style="list-style-type: none"><li>- must be installed by an electrician;</li><li>- additional charges for modifications or for special orders;</li><li>- lead time between 8-9 weeks;</li><li>- dimensions are approximate and may vary slightly.</li></ul>					



ORDER GUIDE: SKU

COLLECTION	MODEL	FINISH (shade and body, hardware)	HEIGHT
<b>WAL</b> waldorf	<b>08</b>	<b>BLBR</b> black shade and body, brass hardware	<b>A</b> 24" / 610 mm
		<b>BLGR</b> black shade and body, graphite hardware	<b>B</b> 28" / 711 mm
		<b>WHBR</b> white shade and body, brass hardware	<b>C</b> 32" / 813 mm
			<b>D</b> 36" / 914 mm
			<b>E</b> 42" / 1067 mm
			<b>F</b> 54" / 1372 mm
			<b>V</b> custom
<b>WAL</b>	<b>08</b>	<b>BLBR</b>	<b>A</b> = <b>WAL08BLBRA</b> example

FINISH



brass



flat black





graphite




flat white

CANOPY  
swivel option for slanted ceiling



LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS



Frosted  
4.5W  
100V-120V / 240V  
450 Lumens  
2700 K  
25 000 H  
CRI ≥80  
2 years warranty

SPHERES



G60 Ø ±2" / 60 mm



DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.