

Designed by Komplot Design

PRODUCT



COLOURS



// Blackstained beech



// Oak



// American Walnut

Item no.: 21001-4-01
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - VENEER

- Blackstained Beech / Chrome base // Gloss level 20-30 / -
- Oak / Chrome base // Gloss level 20-30 / -
- American Walnut / Chrome base // Gloss level 20-30 / -

- Blackstained Beech / Satin chrome base // Gloss level 20-30 / -
- Oak / Satin chrome base // Gloss level 20-30 / -
- American Walnut / Satin chrome base // Gloss level 20-30 / -


- Blackstained Beech / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- Oak / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- American Walnut / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 4, GUBI 42, GUBI 43



FACTS

MEASUREMENT - L X W X H MM

- Sitting height: 376 mm
- Seat width: 657 mm
- Seat depth: 638 mm
- Seat height: 406 mm
- Back height: 324 mm
- Frame width: 688 mm
- Frame depth: 533 mm
- Chair height: 691 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm

WEIGHT ITEM
6,600 kg

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - L X W X H CM
L:68 X W:68 X H:67,5 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality BC85BB: 2300 g
- Polybag PE: 200 g
- LD-EPE foam protector: 50 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL
9,156 kg

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



NUMBER OF PARCELS

1 pcs.

- Defective frame and shells can be replaced.

CLEANING AND MAINTENANCE

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

-

CERTIFICATION AND LABELS

-

Designed by Komplot Design

PRODUCT



Item no.: 21001-42-XX
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - VENEER - FRONT UPHOLSTERED

- Blackstained beech / Chrome base // Gloss level 20-30 / -
- Oak / Chrome base // Gloss level 20-30 / -
- American Walnut / Chrome base // Gloss level 20-30 / -

- Blackstained beech / Satin chrome base // Gloss level 20-30 / -
- Oak / Satin chrome base // Gloss level 20-30 / -
- American Walnut / Satin chrome base // Gloss level 20-30 / -


- Blackstained beech / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- Oak / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- American Walnut / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 4, GUBI 42, GUBI 43



COLOURS

Photo coming soon



// Blackstained beech // Oak



// American Walnut

FACTS

MEASUREMENT - L X W X H MM

- Sitting height: 386 mm
- Seat width: 667 mm
- Seat depth: 642 mm
- Seat height: 416 mm
- Back height: 331 mm
- Frame width: 688 mm
- Frame depth: 533 mm
- Chair height: 698 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm
- Front upholstered: 10 mm

WEIGHT ITEM
6,780 kg

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - L X W X H CM
L:68 X W:68 X H:67,5 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality BC85BB: 2300 g
- Polybag PE: 200 g
- LD-EPE foam protector: 50 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL
9,156 kg

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



NUMBER OF PARCELS

1 pcs.

UPHOLSTERING - W X L

- Fabric: 140 cm: 90 cm

- Leather: 20 sq feet

CLEANING AND MAINTENANCE

For cleaning the upholstered surface, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-

Designed by Komplot Design

PRODUCT



COLOURS



// Fully upholstered

Item no.: 21001-43-XX
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - FULLY UPHOLSTERED


- Fully upholstered / Chrome base // - / -
- Fully upholstered / Satin chrome base // - / -
- Fully upholstered / Black painted base // - / RAL 9005, gloss level 10-15

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 4, GUBI 42, GUBI 43



FACTS

MEASUREMENT - L X W X H MM

- Sitting height: 386 mm
- Seat width: 667 mm
- Seat depth: 642 mm
- Seat height: 416 mm
- Back height: 331 mm
- Frame width: 688 mm
- Frame depth: 533 mm
- Chair height: 698 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm
- Fully upholstered: 10 mm

WEIGHT ITEM

6,880 kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:68 X W:68 X H:67,5 CM

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality BC85BB: 2300 g
- Polybag PE: 200 g
- LD-EPE foam protector: 50 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL

9,156 kg

NUMBER OF PARCELS

1 pcs.

UPHOLSTERING - W X L

- Fabric: 140 cm x 1,7 m
- Leather: 3,4 m²

CLEANING AND MAINTENANCE

For cleaning the upholstered surface, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the frame use a soft, dry cloth.

For further cleaning of the frame, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth to wipe the seat. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-

Designed by Komplot Design

PRODUCT



COLOURS



// Fully upholstered

Item no.: 21001-43D-XX
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - SHELL - FULLY UPHOLSTERED


- Fully upholstered / Blackstained beech base // - / Gloss 20-30
- Fully upholstered / Oak base // - / Gloss 20-30
- Fully upholstered / Walnut base // - / Gloss 20-30

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 4D, GUBI 42D, GUBI 43D



FACTS

MEASUREMENT - L X W X H MM

Sitting height: 389 mm
Seat width: 509 mm
Seat depth: 550 mm
Seat height: 419 mm
Back height: 380 mm
Frame width: 519 mm
Frame depth: 479 mm
Chair height: 816 mm
Shell thickness: 5 mm
Frame thickness: 20 - 45 mm
Fully upholstered: 10 mm

WEIGHT ITEM

6,800 kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:68 X W:68 X H:67,5 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality BC85BB: 2300 g
- Polybag PE: 200 g
- LD-EPE foam protector: 50 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL

9,156 kg

ACCESSORIES

BLACK PLASTIC GLIDERS FOR CARPETING ARE STANDART.
FELT GLIDERS ON REQUEST.

NUMBER OF PARCELS

1 psc.

UPHOLSTERING - *W X L*

- Fabric: 140 cm x 1,7 m

- Leather: 3,4 m²

CLEANING AND MAINTENANCE

For cleaning the upholstered surface, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-

Designed by Komplot Design

PRODUCT



COLOURS



Photo coming soon

// Blackstained beech

// Oak

Photo coming soon

// American Walnut

Item no.: 21001-4D-01
+ style code



DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - VENEER


- Blackstained beech / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30
- Oak / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / Blackstained beech base // Gloss level 20-30 / Gloss level 20-30
- Blackstained beech / Oak base // Gloss level 20-30 / Gloss level 20-30
- Oak / Oak base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / Oak base // Gloss level 20-30 / Gloss level 20-30
- Blackstained beech / American Walnut base // Gloss level 20-30 / Gloss level 20-30
- Oak / American Walnut base // Gloss level 20-30 / Gloss level 20-30
- American Walnut / American Walnut base // Gloss level 20-30 / Gloss level 20-30

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 4D, GUBI 42D, GUBI 43D



FACTS

MEASUREMENT - L X W X H MM

Sitting height: 379 mm
Seat width: 657 mm
Seat depth: 638 mm
Seat height: 409 mm
Back height: 324 mm
Frame width: 696 mm
Frame depth: 503 mm
Chair height: 696 mm
Shell thickness: 5 mm
Frame thickness: 20 - 45 mm

WEIGHT ITEM

5,800 kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:68 X W:68 X H:67,5 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality BC85BB: 2300 g
- Polybag PE: 200 g
- LD-EPE foam protector: 50 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL

9,156 kg

ACCESSORIES

BLACK PLASTIC GLIDERS FOR CARPETING ARE STANDART.
FELT GLIDERS ON REQUEST.

NUMBER OF PARCELS

1 pcs.

- *Defective frame and shells can be replaced.*

CLEANING AND MAINTENANCE

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.
For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.
If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.
Polish with a soft cloth after wiping.
Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.
Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

TESTS

-

CERTIFICATION AND LABELS

-