

Designed by Bonderup & Thorup

PRODUCT



COLOURS



// Brass



// Chrome



// Copper

Item no.: 004-013XX

+ style code

- 39: Brass
- 40: Chrome
- 46: Copper

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun metal creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø30 / SM1

Colour codes are indicative.


- Fabric wire - Black:
- Brass / White inside // Brass / RAL 9003 // Gloss level shiny / Gloss level 10
- Chrome / White inside // Chrome / RAL 9003 // Gloss level shiny / Gloss level 10
- Copper / White inside // Copper / RAL 9003 // Gloss level shiny / Gloss level 10

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



ACCESSORIES

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:

Item no.: 004-99012 40W, E14 base - box of 10 pcs.

FACTS

MEASUREMENT - L X W X H MM

- Lamp canopy height: 2,2 inches
- Lamp canopy diameter: 4,5 inches
- Shade height: 5,9 inches
- Shade diameter: dia. 11,8 inches
- Cable length, exposed: APP. 86,6 inches
- Cable length, total: APP. 98,4 inches

WEIGHT ITEM - LAMP INCL. WIRE AND CANOPY
1,5 lb

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H inches

L:13 X W:13 X H:7,9 inches

WEIGHT PACKAGING - MATERIAL TYPE (recycleable)

- Delivery note: 0,2 oz
- PE-LD PolyEthylen, bottom and top: 1,5 oz
- Socket protection: 0,4 oz
- Brown paper post (2 pcs. Triangles and canopy box): 7,3 oz
- PE polybag: 2,2 oz
- Cardboard, outer white box w/5ply Corrugated: 2,1 lb
- Screws: 0,25 oz

WEIGHT PACKAGING - TOTAL

2,8 lb

NUMBER OF PARCELS

1 pcs.

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

INSTALLATION INSTRUCTIONS

Instructions document: No. 52-20-002-01

Bulb requirements:

- Socket: E12
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 40 W
- Max. Incandescent wattage: Max. 40 W

*Semi is on delivery supplied with 1 silver crown reflector bulb.

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~



*Normally Closed: IP20



Class II / Double insulated



Luminaires accepted for mounting on a flammable base




Designed by Bonderup & Thorup

PRODUCT



COLOURS



// Brass

// Chrome

// Copper

Item no.: 004-023XX

+ style code

- 39: Brass
- 40: Chrome
- 46: Copper

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun metal creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø47 / SM2

Colour codes are indicative.


- Fabric wire - Black:
- Brass / White inside // Brass / RAL 9003 // Gloss level shiny / Gloss level 10
- Chrome / White inside // Chrome / RAL 9003 // Gloss level shiny / Gloss level 10
- Copper / White inside // Copper / RAL 9003 // Gloss level shiny / Gloss level 10

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



ACCESSORIES

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:

Item no.: 004-99002 60W, E27 base - box of 10 pcs.

FACTS

MEASUREMENT - L X W X H inches

Lamp canopy height: 2,2 inches

Lamp canopy diameter: 4,5 inches

Shade height: 9,3 inches

Shade diameter: dia. 18,5 inches

Cable length, exposed: APP. 86,6 inches

Cable length, total: APP. 98,4 inches

WEIGHT ITEM - LAMP INCL. WIRE AND CANOPY

3,4 lb

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H inches

L:19,7 X W:19,7 X H: 11,2 inches

WEIGHT PACKAGING - MATERIAL TYPE (recyclable)

- Delivery note: 0,2 oz

- PE-LD PolyEthylen, bottom and top: 1,5 oz

- Socket protection: 0,4 oz

- Brown paper post (2 pcs. Triangles and canopy box): 11,2 oz

- PE polybag: 2,2 oz

- Cardboard, outer white box w/5ply Corrugated: 3,9 lb

- Screws: 0,25 oz

WEIGHT PACKAGING - TOTAL

4,9 lb

NUMBER OF PARCELS

1 pcs.

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

INSTALLATION INSTRUCTIONS

Instructions document: No. 52-20-002-01

Bulb requirements:

- Socket: E26
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

*Semi is on delivery supplied with 1 silver crown reflector bulb.

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~

*Normally Closed: IP20




Class II / Double insulated




Luminaires accepted for mounting on a flammable base

Step 6
14 Attach the canopy by screwing it on the ceiling bracket.




GUBI

Semi



Step 7
15 Place light bulb in lamp and turn the power on.



BULB REPLACEMENT

- Disconnect the power before replacing bulb.

TROUBLESHOOTING

- If lamp does not light, turn off the power. Check the bulb for a broken filament. Replace bulb if necessary, then turn it on.
- If the lamp still does not light, please contact customer service at the local dealer.
- If the external flexible cable or cord of this lamp is damaged, it must be replaced by a qualified electrician in order to avoid a hazard.


GUBI A/S
 Høvedsvej 7-9 / Piskhus 53 T: +45 3332 0300
 2150 Nordhavn, Copenhagen CVR: 17942084
 Denmark WWW.GUBI.DK

Technical information:
 Light source: Silver crown reflector bulb/half mirror bulb. Semi diameter 30, E12 max. 40W / diameter 47 and 60, E26, max. 60W.
 Turn power off when changing light bulb.
 Isolation class II.
 The lamp is not approved for outdoor use or use in damp/wet rooms (IP20).


Some advice on cleaning your Semi lamp:
 Wipe the parts with a damp cloth soaked in warm water and a bit of mild detergent.
 Use only soft cloth for wiping and polishing, never sponge or steel wool.
 Do not use abrasive household cleaners.
 Do not use acidic or alkaline cleaning materials, glass cleaner or household ammonia.

Step 1
1 Put the cable through the lamp shade.


When mounting directly on the ceiling continue to step 2.
If mounting on top of a ceiling box continue to step 5.




Step 3
4 Find the desired length of cable and cut off the outer isolation.
5 Mount the cable in the cable clamp.
6 Connect grounding wire to the ground screw, if necessary.




Step 2
2 Attach ceiling bracket with screws.
3 Pull cable through canopy shade.



Step 4
7 Attach the canopy by screwing it on the ceiling bracket.
8 Connect lamp cable to the supply wires.
9 Place light bulb in lamp and turn the power on.



Step 5
10 Pull cable through canopy shade, find the desired length of cable and cut off the outer isolation.
11 Connect lamp cable to the supply wires.
12 Connect grounding wire to the ground screw.
13 Attach ceiling bracket with screws.



82-20-002-01 Semi (metal mounting) rev. 1.0

Designed by Bonderup & Thorup

PRODUCT



COLOURS



// Brass



// Chrome



// Copper

Item no.: 004-033XX

+ style code

- 39: Brass

- 40: Chrome

- 46: Copper

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun metal creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø60 / SM3

Colour codes are indicative.

- Fabric wire - Black:

- Brass / White inside // Brass / RAL 9003 // Gloss level shiny / Gloss level 10

- Chrome / White inside // Chrome / RAL 9003 // Gloss level shiny / Gloss level 10


- Copper / White inside // Copper / RAL 9003 // Gloss level shiny / Gloss level 10

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



FACTS

MEASUREMENT - L X W X H inches

Lamp canopy height: 2,2 inches

Lamp canopy diameter: 4,5 inches

Shade height: 11,8 inches

Shade diameter: dia 23,6 inches

Cable length, exposed: APP. 86,6 inches

Cable length, total: APP. 98,4 inches

WEIGHT ITEM - LAMP INCL. WIRE AND CANOPY

5,3 lb

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H inches

L:25,2 X W:25,2 X H: 132 inches

WEIGHT PACKAGING - MATERIAL TYPE (recycleable)

- Delivery note: 0,2 oz

- PE-LD PolyEthylen, bottom and top: 1,5 oz

- Socket protection: 0,4 oz

- Brown paper post (2 pcs. Triangles and canopy box): 14,1 oz

- PE polybag: 2,2 oz

- Cardboard, outer white box w/5ply Corrugated: 5,7 lb

- Screws: 0,25 oz

WEIGHT PACKAGING - TOTAL

7,9 lb

NUMBER OF PARCELS

1 pcs.

ACCESSORIES

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:

Item no.: 004-99002 60W, E27 base - box of 10 pcs.

ENVIRONMENT

-


TESTS

-

CERTIFICATION AND LABELS

INSTALLATION INSTRUCTIONS

Instructions document: No. 52-20-002-01



Bulb requirements:

- Socket: E26
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

*Semi is on delivery supplied with 1 silver crown reflector bulb.

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~


*Normally Closed: IP20



Class II / Double insulated



Luminaires accepted for mounting on a flammable base



SEMI SM1 // PENDANT LAMP, US MODEL

Designed by Bonderup & Thorup

PRODUCT



Item no.: 004-0130X
+ style code

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun aluminium creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø30 / SM1

RAL codes are indicative.


- Fabric wire - White:
- Matt white / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Black:
- Matt black / White inside // RAL 9005 / RAL 9003 // Gloss level 20 / Gloss level 20
- Glossy orange / White inside // RAL xxxx / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy blue-grey / White inside // RAL 160 60 05 / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy anthracite grey / White inside // RAL 7016 / RAL 9003 // Gloss level 80 / Gloss level 20

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



COLOURS



// Matt black



// Matt white



// Glossy orange



// Glossy blue-grey



// Glossy anthracite grey

FACTS

MEASUREMENT - L X W X H MM

Lamp rosette height: 57 mm
Lamp rosette diameter: 114 mm
Shade height: 150 mm
Shade diameter: Ø300 mm
Cable length, exposed: APP. 2200 mm
Cable length, total: APP. 2500 mm

WEIGHT ITEM - LAMP INCL. WIRE AND ROSETTE

530 g

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:33 X W:33 X H:20 cm

WEIGHT PACKAGING - MATERIAL TYPE (recycleable)

- Delivery note: 5 g
- PE-LD PolyEthylen, bottom and top: 42 g
- Socket protection: 11 g
- Brown paper post (2 pcs. Triangles and rosette box): 208 g
- PE polybag: 61 g
- Cardboard, outer white box w/5ply Corrugated: 400 g
- Screws: 7 g
- Light bulb: 38 g

WEIGHT PACKAGING - TOTAL

1302 g

NUMBER OF PARCELS

1 pcs.

* Lightbulb not included.

Designed by Bonderup & Thorup

ACCESSORIES

Item no.: 004-99315 Wiring set max 5 meter.
Item no.: 004-99316 Wiring set max 10 meter.

Item no.: 001-99058C plug US

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:
Item no.: 004-99012 40W, E12 base - box of 10 pcs

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE - CERTIFIED

Bulb requirements:

- Socket: E12
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 40 W
- Max. Incandescent wattage: Max. 40 W

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~

*Normally Closed: IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base



Mark for Canada and the U.S.

SEMI SM2 // PENDANT LAMP, US MODEL

Designed by Bonderup & Thorup

PRODUCT



Item no.: 004-0230X
+ style code

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun aluminium creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø47 / SM2

RAL codes are indicative.


- Fabric wire - White:
- Matt white / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Black:
- Matt black / White inside // RAL 9005 / RAL 9003 // Gloss level 20 / Gloss level 20
- Glossy orange / White inside // RAL xxxx / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy blue-grey / White inside // RAL 160 60 05 / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy anthracite grey / White inside // RAL 7016 / RAL 9003 // Gloss level 80 / Gloss level 20

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



COLOURS




// Matt black




// Matt white



// Glossy orange



// Glossy blue-grey



// Glossy anthracite grey

FACTS

MEASUREMENT - L X W X H MM

Lamp rosette height: 57 mm
Lamp rosette diameter: 114 mm
Shade height: 235 mm
Shade diameter: Ø470 mm
Cable length, exposed: APP. 2200 mm
Cable length, total: APP. 2500 mm

WEIGHT ITEM - LAMP INCL. WIRE AND ROSETTE

870 g

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:50 X W:50 X H:28.5 cm

WEIGHT PACKAGING - MATERIAL TYPE (recyclable)

- Delivery note: 5 g
- PE-LD PolyEthylen, bottom and top: 61 g
- Socket protection: 11 g
- Brown paper post (2 pcs. Triangles and rosette box): 317 g
- PE polybag: 61 g
- Cardboard, outer white box w/5ply Corrugated: 1000 g
- Screws: 7 g
- Light bulb: 28 g

WEIGHT PACKAGING - TOTAL

2360 g

NUMBER OF PARCELS

1 pcs.

* Lightbulb not included.

Designed by Bonderup & Thorup

ACCESSORIES

Item no.: 004-99325 Wiring set max 5 meter.
Item no.: 004-99326 Wiring set max 10 meter.

Item no.: 001-99058C plug US

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:
Item no.: 004-99002 60W, E26 base - box of 10 pcs

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE - CERTIFIED

Bulb requirements:

- Socket: E26
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~

*Normally Closed: IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base



Mark for Canada and the U.S.

SEMI SM3 // PENDANT LAMP, US MODEL

Designed by Bonderup & Thorup

PRODUCT



Item no.: 004-0330X
+ style code

DESCRIPTION

Semi is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped shade in lacquered, spun aluminium creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface.

VERSION - SEMI PENDANT Ø60 / SM3

RAL codes are indicative.


- Fabric wire - White:
- Matt white / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Black:
- Matt black / White inside // RAL 9005 / RAL 9003 // Gloss level 20 / Gloss level 20
- Glossy orange / White inside // RAL xxxx / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy blue-grey / White inside // RAL 160 60 05 / RAL 9003 // Gloss level 80 / Gloss level 20
- Glossy anthracite grey / White inside // RAL 7016 / RAL 9003 // Gloss level 80 / Gloss level 20

PENDANT VERSION

Order item - look for part number in the pricelist.

Series contains the following:

SM1, SM2, SM3



COLOURS



// Matt black



// Matt white



// Glossy orange



// Glossy blue-grey



// Glossy anthracite grey

FACTS

MEASUREMENT - L X W X H MM

Lamp rosette height: 57 mm
Lamp rosette diameter: 114 mm
Shade height: 300 mm
Shade diameter: Ø600mm
Cable length, exposed: APP. 2200 mm
Cable length, total: APP. 2500 mm

WEIGHT ITEM - LAMP INCL. WIRE AND ROSETTE

1300 g

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:64 X W:64 X H:33,5 cm

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- PE-LD PolyEthylen, bottom and top plate: 150 g
- Socket protection: 11 g
- Brown paper post (2 pcs. Triangles and rosette box): 400 g
- PE polybag: 61 g
- Cardboard, outer white box w/5ply Corrugated: 1600 g
- Screws: 7 g
- Light bulb: 28 g

WEIGHT PACKAGING - TOTAL

3562 g

NUMPER OF PARCELS

1 pcs.

* Lightbulb not included.

ACCESSORIES

Item no.: 004-99335 Wiring set max 5 meter.
Item no.: 004-99336 Wiring set max 10 meter.

Item no.: 001-99058C plug US

SILVER CROWN REFLECTOR BULB / HALF MIRROR BULB:
Item no.: 004-99002 60W, E26 base - box of 10 pcs

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE - CERTIFIED

Bulb requirements:

- Socket: E26
- Recommended light source: Silver crown reflector bulb / Half Mirror bulb
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

*US voltage: 120 V

*Frequency: 60 Hz

*Supply voltage: AC power ~

*Normally Closed: IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base



Mark for Canada and the U.S.