## lambert&fils



### PARC 01

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

type: wall and table

construction: hand blown frosted glass

powder coated aluminum body

vinyl cord

specifications: source: LED lamp (G9 base)

power consumption: 4,5W lumen output: 319lm colour temperature: 2700K\*
\* 3000K available upon request colour rendering index: ≥80 CRI\*
\* ≥90 CRI available upon request expected lifetime: 25 000h

**control:** refer to our recommended list of dimmer models


cord length: 96" / 244cm

hand switch at 18" / 46cm, foot switch at 72"/ 183cm

weigth: 2.2lb / 1kg

certifications: C ( VOHS ( IP20

warranty: 2 years



# lambert&fils

## **ORDER GUIDE: SKU**

COLLECTION		MODEL	BODY		CORD*		SWITCH		_
PRC	parc	01	вк	black	вк	black	HD	hand	
			WH	white	WH	white	FT	floor	
			BE	blue					
			BG	beige					
			BU	burgundy					glass shade
			GN	green					body
			MB	midnight blue					cord /
			TC	terracotta					
PRC		01	ВК		ВК		HD		= PRC01BKBKHD example

### **FINISH**



<sup>\*</sup> monochrome cord available upon request except for terracotta (polyester cord) - not available in Australia

### **NOTES**

- not protected against liquids (refer to IP20)
- $\boldsymbol{\mathsf{-}}$  additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

## lambert&fils

## **DIMMER SPECIFICATIONS**

### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V**

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.


DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V**

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

<sup>\*</sup>Other dimmers can yield good results and we recommend conducting your own test before final installation.

## **EU ENERGY LABEL**



Updated: Aug 2019