









PARC 02

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

type:	pendant
construction:	hand blown frosted glass powder coated aluminum body polyester cord
specifications:	source: LED lamp (G9 base) power consumption: 4,5W lumen output: 319lm colour temperature: 2700K* * 3000K available upon request colour rendering index: ≥80 CRI* * ≥90 CRI available upon request expected lifetime: 25 000h
control:	refer to our recommended list of dimmer models
cord length:	96" / 244cm
weight:	3.5lb / 1.6kg
certifications:	    IP20
warranty:	2 years



*dimensions are approximate and may vary slightly

ORDER GUIDE: SKU


COLLECTION		MODEL	POSITION		BODY		CORD		CANOPY	
PRC	parc	02	A	anchor	BK	black	BK	black	BK	black
			NA	no anchor	WH	white	WH	white	WH	white
					BE	blue	BE	blue	BE	blue
					BG	beige	BG	beige	BG	beige
					BU	burgundy	BU	burgundy	BU	burgundy
					GN	green	GN	green	GN	green
					MB	midnight blue	MB	midnight blue	MB	midnight blue
					TC	terracotta			TC	terracotta
PRC		02			BK		BK		BK	
										= PRC02ABKBK example

FINISH

							
textured black	textured white	textured blue	textured beige	textured burgundy	textured green	textured midnight blue	textured terracotta

NOTES

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL

