








PARC 06

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.


type:	floor and table
construction:	hand blown frosted glass powder coated aluminum body vinyl cord
specifications:	source: LED lamp (G9 base) power consumption: 3x 4,5W lumen output: 957lm colour temperature: 2700K* * 3000K available upon request colour rendering index: ≥80 CRI* * ≥90 CRI available upon request expected lifetime: 25 000h
control:	refer to our recommended list of dimmer models
cord length:	96" / 244cm hand switch at 18" / 46cm, foot switch at 72" / 183cm
weight:	7.5lb / 3.4kg
certifications:	    IP20
warranty:	2 years



*dimensions are approximate and may vary slightly

ORDER GUIDE: SKU

COLLECTION		MODEL	BODY		CORD*		SWITCH	
PRC	parc	06	BK	black	BK	black	HD	hand
			WH	white	WH	white	FT	floor
			BE	blue				
			BG	beige				
			BU	burgundy				
			GN	green				
			MB	midnight blue				
			TC	terracotta				
PRC		06	BK		BK		HD	



= PRC06BKHKHD
example

FINISH

							
textured black	textured white	textured blue	textured beige	textured burgundy	textured green	textured midnight blue	textured terracotta

* monochrome cord available upon request except for terracotta (polyester cord) - not available in Australia

NOTES

- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL

