

m o o o i[®]



Perch Light Tree

What is more poetic and elegantly captivating than a bird perched on a branch, flirting, singing and celebrating life?

Designer

Umut Yamac

Year of design

2016

Material


Steel, Aluminium, PP

Additional

Solid State LED

m o o o i[®]

dimensions



Packaging

H 222,5 cm | 87,5"

W 186 cm | 73,2"

D 186 cm | 73,2"

Colli 1/1

With packaging:

21 KG | 46 lb

m o o o i[®]

Technical



Input Voltage:

100-240V ~ 50/60Hz

Power Consumption:

90W

Colour Temperature:

2700K

Light source:

Solid State LED

CRI:

80

Lumen:

Approx 2340lm

Dimmable:

0-10V-, 1-10V-, PWM dimming

Please make sure the right provisions are made for 0-10V/1-10V/PWM dimming.

m o o o i[®]

Technical ul

**Input Voltage:**

100-240V ~ 50/60

Power Consumption:

120W

Colour Temperature:

2700K

Light source:

Solid State LED

CRI:

80

Lumen:

Approx 2340lm

Dimmable:

0-10V-, 1-10V-, PWM dimming

Please make sure the right provisions are made for 0-10V/1-10V/PWM dimming.

Recommended dimmer 0- 10V dimmable

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs:

Transformer type: Electronic Low Voltage (ELV) 0-10V Dim

Load type: Capacitive load (C-Type)

Dimmer type: 0-10V dimmable

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.
