**NINIX LOUNGE 160 BENCH MODULE** 

REF: NNXL 160 ...





## **TECHNICAL INFO**

#### DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,04 m<sup>3</sup> - 36,7 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

## **NINIX LOUNGE 150 LOUNGE TABLE**

REF: NNXL 150 T ...





#### **TECHNICAL INFO**

#### **DIMENSIONS**

Width 150 cm / 59 inch
Depth 105 cm / 41 inch
Height 40 cm / 16 inch



62,3 kg / 137,3 Lbs

#### **PACKAGING**

This item is carefully packed.



0.63 m<sup>3</sup> - 22,2 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

#### **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel. Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is applied statically and baked (thickness:  $60-80~\mu m$ ).



#### TOP

## GLASS

Its resistance to staining and scratching makes glass a highly suitable material when making tabletops for outdoor furniture.



#### CERAMIC

Ceramic table tops are made of inorganic materials that crystallise at very high temperatures and are thus very hard and resistant to wear.



## **NINIX LOUNGE 80 FOOTREST**

REF: NNXL 80F





## **TECHNICAL INFO**

#### DIMENSIONS

Width 75 cm / 30 inch
Depth 75 cm / 30 inch
Height 45 cm / 18 inch



14,9 kg / 32,9 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.17 m<sup>3</sup> - 6,0 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATE

COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

**NINIX LOUNGE 100 ONE SEATER** 

REF: NNXL 100 T





## **TECHNICAL INFO**

#### DIMENSIONS

Width 83 cm / 33 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



25,7 kg / 56,7 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.55 m<sup>3</sup> - 19,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness:  $60-80 \mu m$ ).

COATED

COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

√ Cushions

## CUSHIONS

## **NINIX LOUNGE 80 CORNER MODULE**

REF: NNXL 80 CT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 83 cm / 33 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



29,4 kg / 64,8 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.55 m<sup>3</sup> - 19,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED

COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

## **NINIX LOUNGE 80 RIGHT ARM MODULE**

REF: NNXL 80 RT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 79 cm / 31 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



23,4 kg / 51,6 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.55 m<sup>3</sup> - 19,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND

COAT

COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.

WH

WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

## **NINIX LOUNGE 80 LEFT ARM MODULE**

REF: NNXL 80 LT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 79 cm / 31 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



23,4 kg / 51,6 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.55 m<sup>3</sup> - 19,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).

COATED STAINLESS STEEL - WHITE

COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.

V

WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

## **NINIX LOUNGE 80 LOUNGE MODULE**

REF: NNXL 80





## **TECHNICAL INFO**

#### DIMENSIONS

Width 75 cm / 30 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



21,3 kg / 47 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



0.55 m<sup>3</sup> - 19,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

#### CUSHIONS

## **NINIX LOUNGE 240 BENCH MODULE**

REF: NNXL 240 T





## **TECHNICAL INFO**

#### DIMENSIONS

Width 233 cm / 90 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



68,1 kg / 150,1 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,54 m<sup>3</sup> - 54,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

## SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

√ Cushions

## CUSHIONS

## **NINIX LOUNGE 240 RIGHT ARM MODULE**

REF: NNXL 240 RT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 229 cm / 90 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



70,2 kg / 154,8 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,54 m<sup>3</sup> - 54,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

**NINIX LOUNGE 240 LEFT ARM MODULE** 

REF: NNXL 240 LT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 229 cm / 90 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



70,2 kg / 154,8 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,54 m<sup>3</sup> - 54,4 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

## CUSHIONS

## **NINIX LOUNGE 160 CENTER MODULE**

REF: NNXL 160 CT





## **TECHNICAL INFO**

#### DIMENSIONS

Width 150 cm / 59 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



44,7 kg / 98,5 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,04 m<sup>3</sup> - 36,7 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm After a chemical pre-treatment a polyester powder is

applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

✓ Cushions

#### CUSHIONS

## **NINIX LOUNGE 160 RIGHT ARM MODULE**

REF: NNXL 160 RT





#### **TECHNICAL INFO**

#### DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,04 m<sup>3</sup> - 36,7 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AlSl304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AlSI304), type AlSI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

√ Cushions

## CUSHIONS

**NINIX LOUNGE 160 LEFT ARM MODULE** 

REF: NNXL 160 LT





#### **TECHNICAL INFO**

#### DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

#### **PACKAGING**

This item is carefully packed per piece.



1,04 m<sup>3</sup> - 36,7 Cbft

#### MAINTENANCE

http://www.royalbotania.com/maintenance

## **MATERIALS**

#### FRAME

#### STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL (optional)

#### COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

#### SEAT

#### **BATYLINE®**

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-dr ying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

#### **CHARACTERISTICS**

√ Cushions

## CUSHIONS