

DIMENSIONS

32" x 23" x 16" H
81cm x 58cm x 41cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze


LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 1800 (450 per globe)
Wattage: 18 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

44" x 27" x 20" H
112cm x 69cm x 51cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze


LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 1800 (450 per globe)
Wattage: 18 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

51" x 30" x 22" H
130cm x 76cm x 56cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze

LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 1800 (450 per globe)
Wattage: 18 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*