

USM Kitos M and E Desk

Each desk (except free-standing) of the USM Kitos M and E family offers integrated smart solutions for electrification.

Why USM Kitos M ?

The "M" in its name stands for mechanical spring-loaded height adjustment; adjustment time approx. 1 sec. with zero energy consumption. This system is more than 10 times faster than the electronic equivalent and has an extremely long operating life.

Why USM Kitos E ?

Maximum functionality and captivating design – USM Kitos E unites all requirements in one modern workplace: continuous height adjustability and maximum stability. A distinction is made between fixed and motor-driven legs in the E1, E2 and E3 models.

E1



29"H
With or without middle traverse

E2 with 1 motor



28"–47"H
Adjustment time approx. 30 sec.
With middle traverse

E3 with 2 motors



26"–51"H
Adjustment time approx. 20 sec.
With middle traverse

Basic desk

Integrated cable tray underneath the tabletop



USM Kitos M

28"–47"H
70"W/35"D
69"W/30"D
63"W/32"D

USM Kitos E

70"W/35"D**
69"W/30"D
63"W/32"D**
Available with E1*, E2 or E3** columns

Sliding tabletop

Integrated cable tray accessible from above by sliding back the tabletop

Adaptation points for accessories



USM Kitos M Plus

28"–47"H
70"W/35"D
69"W/30"D
63"W/32"D

USM Kitos E Plus

70"W/35"D
69"W/30"D
63"W/32"D
Available with E1*, E2 or E3 columns

Extra size

Integrated cable tray underneath the tabletop and accessible from all sides



USM Kitos M Meeting

28"–45"H
99"W/40"D
89"W/40"D

USM Kitos E Meeting

99"W/50"D
99"W/40"D
89"W/40"D
Available with E1, E2 or E3 columns

Side table



USM Kitos E Free-standing

29"H or 28"–43"H
Square
30"W/30"D or 35"W/35"D
Round
Ø: 35" or 43"

The table can also be provided with an asymmetrical version of the middle traverse, for extra legroom. (This is not possible with the USM Kitos E / M Meeting.)

* Available with or without middle traverse.

** Available in a GS-Mark tested version with 0.12" table edge radius and the asymmetrical middle traverse.

Accessories
for all USM Kitos M and E Desks


- 1 **Grommet hatch for network access**
Flush hinged cover set into the tabletop for easy network access, can be positioned at two different locations.
- 2 **CPU holder**
Computers in various sizes can either be mounted using a simple holding device under the height-adjustable tabletop or attached to the table column.
- 3 **Link chain**
Holds and directs cables to the power source. Flexible and adjustable to various lengths.
- 4 **USM Privacy Panels*****
Can be attached to the long side to ensure individuality and privacy for people working at tables configured as a block station. 14"H or 28"H. Available for the following table sizes: 99"W, 89"W, 70"W, 69"W, 63"W.

Accessories
for all USM Kitos M and E Desks,
except USM Kitos M Meeting/
E Meeting

- 5 **Flat screen pivot arm**
Screens are screwed to the height adjustable pivot arm using a mounting plate (VESA standard). Available for USM Kitos E/M desk: The pivot arm can be mounted onto the table edges with the universal holder. Available for USM Kitos M and E Plus: The bracket can be connected directly to one of the adaptation points.
- Options
- 5a **Mounting at different heights**
is possible for screens weighing up to 26 pounds.
- 5b **Continuous height adjustment**
for screens weighing up to 26 pounds.
- 6 **Front panel**
A black mesh fabric attaches to the front under the tabletop. Available for the following table sizes: 70"W, 69"W, 63"W.
- 7 **Material tray**
Provides room for writing instruments and can be discreetly stowed under the table

Accessories
for USM Kitos M Plus / E Plus

- 8 **Flat screen support bar**
The bracket is inserted into the adaptation points. Up to two screens (max. 2 x 26 pounds) can be attached using a mounting plate (VESA standard). Screens can be mounted at different heights; screens can be adjusted with ball joints.
- Options
- 8a **Flat screen support bar fix**
- 8b **Flat screen support bar adjustable**
Move forwards or backwards 2 notches at a time to adjust the viewing distance.
- 9 **USB adapter**
The adapter is suitable for USB 2.0 and 3.0 ports. It can be inserted easily into the adaptation point. Usable as power supply or for data transfer.
- 10 **Lamp peg**
An optional lamp peg for easy attachment of traditional table lamps. Electrification is possible through the adaptation point.



***Not available in US & CAN

Colors & surfaces

USM Haller



Metal



Pure white
RAL 9010



Light gray
RAL 7035




USM matte silver



Mid-gray
RAL 7005



Anthracite
RAL 7016



Graphite black
RAL 9011



Steel blue
RAL 5011



Gentian blue
RAL 5010



USM green



Golden yellow
RAL 1004



Pure orange
RAL 2004



USM ruby red



USM brown



USM beige

USM Haller and USM Kitos Tables



Powder-coated MDF



Pure white
RAL 9010

Back-lacquered clear glass



Pure white
RAL 9010



Light gray
RAL 7035



USM matte silver



Mid-gray
RAL 7005



Anthracite
RAL 7016



Graphite black
RAL 9011



Steel blue
RAL 5011



Gentian blue
RAL 5010



USM green



Golden yellow
RAL 1004



Pure orange
RAL 2004



USM ruby red



USM brown



USM beige

Back-lacquered etched glass



Pure white
RAL 9010



Light gray
RAL 7035



Mid-gray
RAL 7005



Anthracite
RAL 7016



Graphite black
RAL 9011



Steel blue
RAL 5011

Transparent glass



Transparent glass

Other colors and surfaces available upon request.

Prices and delivery times of table surfaces upon request.

USM Inos accessories are available in graphite black and light gray.

The tabletops in glass are only available for USM Haller Desks up to 79"W and all USM Kitos Desks with a fixed height (29"W) resp. stepwise height adjustment and continuous height adjustment (27"-31"H / 42"H).