






## MILE 02




<b>type:</b>	suspension
<b>materials:</b>	body: powder coated aluminum lens: frosted polycarbonate hardware: powder coated aluminum wire: polyester
<b>wire length:</b>	108" live wire feed 84" unloaded wire
<b>weight:</b>	3.9 lb / 1.8 kg
<b>light bulb:</b>	54W (see lightbulb section for specifications)
<b>voltage:</b>	120V / 240V
<b>dimmer:</b>	refer to our recommended list of dimmer models
<b>certifications:</b>	
<b>notes:</b>	<ul style="list-style-type: none"> <li>– must be installed by an electrician</li> <li>– additional charges for modifications or for special orders</li> <li>– dimensions are approximate and may vary slightly</li> <li>– lead time 12 weeks</li> </ul>



## ORDER GUIDE: SKU

COLLECTION		MODEL	COLOUR		MOUNTING TYPE	
<b>Mile</b>	mile	<b>02</b>	<b>BL</b>	black	<b>SM</b>	single mounting * Row mounting available
			<b>BU</b>	burgundy		
			<b>BG</b>	beige		
			<b>GN</b>	green		
<b>MIL</b>		<b>02</b>	<b>BL</b>		<b>SM</b>	

= **MIL02BLSM**  
**example**



### COLOUR



Black



Burgundy




Beige




Green

### MOUNTING TYPE




Single mounting




Row mounting available  
(please consult sales team)

### ANCHORS




Regular anchor



Connecting anchor  
for row mounting

## LIGHT BULB & DIMMER SPECIFICATIONS

### AC LED BOARD



119 W  
100V-120V / 240V  
uplight 1040 lumens  
downlight 1430 lumens  
LED 2700K  
50 000 H  
CRI ≥90  
2 years warranty  
3 SDCM consistency

### DIMMER LIST COMPATIBILITY – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	10%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	10%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	10%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	10%	no	very good
LUTRON - DIVA	DVELV-300P	100%	10%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.